

“It is especially important not to use” (select “aspirin” or “carbaspirin calcium,” as appropriate) “during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.”

[47 FR 54757, Dec. 3, 1982, as amended at 55 FR 27784, July 5, 1990; 59 FR 14364, Mar. 28, 1994; 64 FR 13286, Mar. 17, 1999]

§ 201.64 Sodium labeling.

(a) The labeling of over-the-counter (OTC) drug products intended for oral ingestion shall contain the sodium content per dosage unit (e.g., tablet, teaspoonful) if the sodium content of a single recommended dose of the product (which may be one or more dosage units) is 5 milligrams or more. OTC drug products intended for oral ingestion include gum and lozenge dosage forms, but do not include dentifrices, mouthwashes, or mouth rinses.

(b) The sodium content shall be expressed in milligrams per dosage unit and shall include the total amount of sodium regardless of the source, i.e., from both active and inactive ingredients. The sodium content shall be rounded-off to the nearest whole number. The sodium content per dosage unit shall follow the heading “Other information” as stated in § 201.66(c)(7).

(c) The labeling of OTC drug products intended for oral ingestion shall contain the following warning under the heading “Warning” (or “Warnings” if it appears with additional warning statements) if the amount of sodium present in the labeled maximum daily dose of the product is more than 140 milligrams: “Do not use this product if you are on a sodium-restricted diet unless directed by a doctor.”

(d) The term *sodium free* may be used in the labeling of OTC drug products intended for oral ingestion if the amount of sodium in the labeled maximum daily dose is 0 milligram. For example, a product containing 0.4 (rounded-off to zero (0)) milligram sodium per tablet with directions to take one tablet daily may use the term “sodium free” in its labeling. However, when the recommended dose provides for taking more than one dosage unit per day, e.g., take one or two tablets, or take two tablets, the same product containing 0.4 milligram sodium per

tablet shall not use the term “sodium free” because the labeled maximum daily dose contains 0.8 milligram sodium.

(e) The term *very low sodium* may be used in the labeling of OTC drug products intended for oral ingestion if the amount of sodium in the labeled maximum daily dose is 35 milligrams or less.

(f) The term *low sodium* may be used in the labeling of OTC drug products intended for oral ingestion if the amount of sodium in the labeled maximum daily dose is 140 milligrams or less.

(g) The term *salt* is not synonymous with the term sodium and shall not be used interchangeably or substituted for the term *sodium*.

(h) The terms *sodium free*, *very low sodium*, and *low sodium* shall be in print size and style no larger than the product’s statement of identity and shall not be unduly prominent in print size or style compared to the statement of identity.

(i) Any product subject to this paragraph that contains sodium bicarbonate, sodium phosphate, or sodium biphosphate as an active ingredient for oral ingestion and that is not labeled as required by this paragraph and that is initially introduced or initially delivered for introduction into interstate commerce after April 22, 1997, is misbranded under sections 201(n) and 502 (a) and (f) of the Federal Food, Drug, and Cosmetic Act (the act).

[61 FR 17806, Apr. 22, 1996, as amended at 62 FR 19925, Apr. 24, 1997; 64 FR 13286, Mar. 17, 1999]

EFFECTIVE DATE NOTE: At 62 FR 19925, Apr. 24, 1997, the effective date for § 201.64 (a) through (h) was delayed until further notice.

§ 201.66 Format and content requirements for over-the-counter (OTC) drug product labeling.

(a) *Scope*. This section sets forth the content and format requirements for the labeling of all OTC drug products. Where an OTC drug product is the subject of an applicable monograph or regulation that contains content and format requirements that conflict with

this section, the content and format requirements in this section must be followed unless otherwise specifically provided in the applicable monograph or regulation.

(b) *Definitions.* The following definitions apply to this section:

(1) *Act* means the Federal Food, Drug, and Cosmetic Act (secs. 201 *et seq.* (21 U.S.C. 321 *et seq.*)).

(2) *Active ingredient* means any component that is intended to furnish pharmacological activity or other direct effect in the diagnosis, cure, mitigation, treatment, or prevention of disease, or to affect the structure or any function of the body of humans. The term includes those components that may undergo chemical change in the manufacture of the drug product and be present in the drug product in a modified form intended to furnish the specified activity or effect.

(3) *Approved drug application* means a new drug (NDA) or abbreviated new drug (ANDA) application approved under section 505 of the act (21 U.S.C. 355).

(4) *Bullet* means a geometric symbol that precedes each statement in a list of statements. For purposes of this section, the bullet style is limited to solid squares or solid circles, in the format set forth in paragraph (d)(4) of this section.

(5) *Established name* of a drug or ingredient thereof means the applicable official name designated under section 508 of the act (21 U.S.C. 358), or, if there is no designated official name and the drug or ingredient is recognized in an official compendium, the official title of the drug or ingredient in such compendium, or, if there is no designated official name and the drug or ingredient is not recognized in an official compendium, the common or usual name of the drug or ingredient.

(6) *FDA* means the Food and Drug Administration.

(7) *Heading* means the required statements in quotation marks listed in paragraphs (c)(2) through (c)(9) of this section, excluding subheadings (as defined in paragraph (a)(9) of this section).

(8) *Inactive ingredient* means any component other than an active ingredient.

(9) *Subheading* means the required statements in quotation marks listed in paragraphs (c)(5)(ii) through (c)(5)(vii) of this section.

(10) *Drug facts labeling* means the title, headings, subheadings, and information required under or otherwise described in paragraph (c) of this section.

(11) *Title* means the heading listed at the top of the required OTC drug product labeling, as set forth in paragraph (c)(1) of this section.

(12) *Total surface area available to bear labeling* means all surfaces of the outside container of the retail package or, if there is no such outside container, all surfaces of the immediate container or container wrapper except for the flanges at the tops and bottoms of cans and the shoulders and necks of bottles and jars.

(c) *Content requirements.* The outside container or wrapper of the retail package, or the immediate container label if there is no outside container or wrapper, shall contain the title, headings, subheadings, and information set forth in paragraphs (c)(1) through (c)(8) of this section, and may contain the information under the heading in paragraph (c)(9) of this section, in the order listed.

(1) (Title) “Drug Facts”. If the drug facts labeling appears on more than one panel, the title “Drug Facts (continued)” shall appear at the top of each subsequent panel containing such information.

(2) “Active ingredient” or “Active ingredients” “(in each [insert the dosage unit stated in the directions for use (e.g., tablet, 5 mL teaspoonful) or in each gram as stated in §§333.110 and 333.120 of this chapter])”, followed by the established name of each active ingredient and the quantity of each active ingredient per dosage unit. Unless otherwise provided in an applicable OTC drug monograph or approved drug application, products marketed without discrete dosage units (e.g., topicals) shall state the proportion (rather than the quantity) of each active ingredient.

(3) “Purpose” or “Purposes”, followed by the general pharmacological category(ies) or the principal intended action(s) of the drug or, where the drug consists of more than one ingredient,

the general pharmacological categories or the principal intended actions of each active ingredient. When an OTC drug monograph contains a statement of identity, the pharmacological action described in the statement of identity shall also be stated as the purpose of the active ingredient.

(4) “Use” or “Uses”, followed by the indication(s) for the specific drug product.

(5) “Warning” or “Warnings”, followed by one or more of the following, if applicable:

(i) “For external use only” [in bold type] for topical drug products not intended for ingestion, or “For” (select one of the following, as appropriate: “rectal” or “vaginal”) “use only” [in bold type].

(ii) All applicable warnings listed in paragraphs (c)(5)(ii)(A) through (c)(5)(ii)(G) of this section with the appropriate subheadings highlighted in bold type:

(A) Reye’s syndrome warning for drug products containing salicylates set forth in §201.314(h)(1). This warning shall follow the subheading “Reye’s syndrome:”

(B) Allergic reaction warnings set forth in any applicable OTC drug monograph or approved drug application for any product that requires a separate allergy warning. This warning shall follow the subheading “Allergy alert:”

(C) Flammability warning, with appropriate flammability signal word (e.g., §§358.150(c) and 358.550(c) of this chapter). This warning shall follow a subheading containing the appropriate flammability signal word described in an applicable OTC drug monograph or approved drug application.

(D) Water soluble gums warning set forth in §201.319. This warning shall follow the subheading “Choking:”

(E) Alcohol warning set forth in §201.322. This warning shall follow the subheading “Alcohol warning:”

(F) Sore throat warning set forth in §201.315. This warning shall follow the subheading “Sore throat warning:”

(G) Warning for drug products containing sodium phosphates set forth in §201.307(b)(2)(i) or (b)(2)(ii). This warning shall follow the subheading “Dose-age warning:”

(iii) “Do not use” [in bold type], followed by all contraindications for use with the product. These contraindications are absolute and are intended for situations in which consumers should not use the product unless a prior diagnosis has been established by a doctor or for situations in which certain consumers should not use the product under any circumstances regardless of whether a doctor or health professional is consulted.

(iv) “Ask a doctor before use if you have” [in bold type] or, for products labeled only for use in children under 12 years of age, “Ask a doctor before use if the child has” [in bold type], followed by all warnings for persons with certain preexisting conditions (excluding pregnancy) and all warnings for persons experiencing certain symptoms. The warnings under this heading are those intended only for situations in which consumers should not use the product until a doctor is consulted.

(v) “Ask a doctor or pharmacist before use if you are” [in bold type] or, for products labeled only for use in children under 12 years of age, “Ask a doctor or pharmacist before use if the child is” [in bold type], followed by all drug-drug and drug-food interaction warnings.

(vi) “When using this product” [in bold type], followed by the side effects that the consumer may experience, and the substances (e.g., alcohol) or activities (e.g., operating machinery, driving a car, warnings set forth in §369.21 of this chapter for drugs in dispensers pressurized by gaseous propellants) to avoid while using the product.

(vii) “Stop use and ask a doctor if” [in bold type], followed by any signs of toxicity or other reactions that would necessitate immediately discontinuing use of the product.

(viii) Any required warnings in an applicable OTC drug monograph, other OTC drug regulations, or approved drug application that do not fit within one of the categories listed in paragraphs (c)(5)(i) through (c)(5)(vii), (c)(5)(ix), and (c)(5)(x) of this section.

(ix) The pregnancy/breast-feeding warning set forth in §201.63(a); the third trimester warning set forth in §201.63(e) for products containing aspirin or carbaspirin calcium; the third

trimester warning set forth in approved drug applications for products containing ketoprofen, naproxen sodium, and ibuprofen (not intended exclusively for use in children).

(x) The “Keep out of reach of children” warning and the accidental overdose/ingestion warning set forth in § 330.1(g) of this chapter.

(6) “Directions”, followed by the directions for use described in an applicable OTC drug monograph or approved drug application.

(7) “Other information”, followed by additional information that is not included under paragraphs (c)(2) through (c)(6), (c)(8), and (c)(9) of this section, but which is required by or is made optional under an applicable OTC drug monograph, other OTC drug regulation, or is included in the labeling of an approved drug application.

(i) Required information about certain ingredients in OTC drug products (e.g., sodium in § 201.64(c)) shall appear as follows: “each (insert appropriate dosage unit) contains:” [in bold type] (insert name(s) of ingredient(s) and the quantity of each ingredient). This information shall be the first statement under this heading.

(ii) The phenylalanine/aspartame content required by § 201.21(b), if applicable, shall appear as the next item of information.

(iii) Additional information that is authorized to appear under this heading shall appear as the next item(s) of information. There is no required order for this subsequent information.

(8) “Inactive ingredients”, followed by a listing of the established name of each inactive ingredient. If the product is an OTC drug product that is not also a cosmetic product, then the inactive ingredients shall be listed in alphabetical order. If the product is an OTC drug product that is also a cosmetic product, then the inactive ingredients shall be listed as set forth in § 701.3(a) or (f) of this chapter, the names of cosmetic ingredients shall be determined in accordance with § 701.3(c) of this chapter, and the provisions in § 701.3(e), (g), (h), (l), (m), (n), and (o) of this chapter and § 720.8 of this chapter may also apply, as appropriate. If there is a difference in the labeling provisions in this § 201.66 and §§ 701.3 and 720.8 of this

chapter, the labeling provisions in this § 201.66 shall be used.

(9) “Questions?” or “Questions or comments?”, followed by the telephone number of a source to answer questions about the product. It is recommended that the days of the week and times of the day when a person is available to respond to questions also be included. A graphic of a telephone or telephone receiver may appear before the heading. The telephone number must appear in a minimum 6-point bold type.

(d) *Format requirements.* The title, headings, subheadings, and information set forth in paragraphs (c)(1) through (c)(9) of this section shall be presented on OTC drug products in accordance with the following specifications. In the interest of uniformity of presentation, FDA strongly recommends that the Drug Facts labeling be presented using the graphic specifications set forth in appendix A to part 201.

(1) The title “Drug Facts” or “Drug Facts (continued)” shall use uppercase letters for the first letter of the words “Drug” and “Facts.” All headings and subheadings in paragraphs (c)(2) through (c)(9) of this section shall use an uppercase letter for the first letter in the first word and lowercase letters for all other words. The title, headings, and subheadings in paragraphs (c)(1), (c)(2), and (c)(4) through (c)(9) of this section shall be left justified.

(2) The letter height or type size for the title “Drug Facts” shall appear in a type size larger than the largest type size used in the Drug Facts labeling. The letter height or type size for the title “Drug Facts (continued)” shall be no smaller than 8-point type. The letter height or type size for the headings in paragraphs (c)(2) through (c)(9) of this section shall be the larger of either 8-point or greater type, or 2-point sizes greater than the point size of the text. The letter height or type size for the subheadings and all other information described in paragraphs (c)(2) through (c)(9) of this section shall be no smaller than 6-point type.

(3) The title, heading, subheadings, and information in paragraphs (c)(1) through (c)(9) of this section shall be legible and clearly presented, shall have at least 0.5-point leading (i.e., space between two lines of text), and

shall not have letters that touch. The type style for the title, headings, subheadings, and all other required information described in paragraphs (c)(2) through (c)(9) of this section shall be any single, clear, easy-to-read type style, with no more than 39 characters per inch. The title and headings shall be in bold italic, and the subheadings shall be in bold type, except that the word “(continued)” in the title “Drug Facts (continued)” shall be regular type. The type shall be all black or one color printed on a white or other contrasting background, except that the title and the headings may be presented in a single, alternative, contrasting color unless otherwise provided in an approved drug application, OTC drug monograph (e.g., current requirements for bold print in §§341.76 and 341.80 of this chapter), or other OTC drug regulation (e.g., the requirement for a box and red letters in §201.308(c)(1)).

(4) When there is more than one statement, each individual statement listed under the headings and subheadings in paragraphs (c)(4) through (c)(7) of this section shall be preceded by a solid square or solid circle bullet of 5-point type size. Bullets shall be presented in the same shape and color throughout the labeling. The first bulleted statement on each horizontal line of text shall be either left justified or separated from an appropriate heading or subheading by at least two square “ems” (i.e., two squares of the size of the letter “M”). If more than one bulleted statement is placed on the same horizontal line, the end of one bulleted statement shall be separated from the beginning of the next bulleted statement by at least two square “ems” and the complete additional bulleted statement(s) shall not continue to the next line of text. Additional bulleted statements appearing on each subsequent horizontal line of text under a heading or subheading shall be vertically aligned with the bulleted statements appearing on the previous line.

(5) The title, headings, subheadings, and information set forth in paragraphs (c)(1) through (c)(9) of this section may appear on more than one panel on the outside container of the

retail package, or the immediate container label if there is no outside container or wrapper. The continuation of the required content and format onto multiple panels must retain the required order and flow of headings, subheadings, and information. A visual graphic (e.g., an arrow) shall be used to signal the continuation of the Drug Facts labeling to the next adjacent panel.

(6) The heading and information required under paragraph (c)(2) of this section shall appear immediately adjacent and to the left of the heading and information required under paragraph (c)(3) of this section. The active ingredients and purposes shall be aligned under the appropriate headings such that the heading and information required under paragraph (c)(2) of this section shall be left justified and the heading and information required under paragraph (c)(3) of this section shall be right justified. If the OTC drug product contains more than one active ingredient, the active ingredients shall be listed in alphabetical order. If more than one active ingredient has the same purpose, the purpose need not be repeated for each active ingredient, provided the information is presented in a manner that readily associates each active ingredient with its purpose (i.e., through the use of brackets, dot leaders, or other graphical features). The information described in paragraphs (c)(4) and (c)(6) through (c)(9) of this section may start on the same line as the required headings. None of the information described in paragraph (c)(5) of this section shall appear on the same line as the “Warning” or “Warnings” heading.

(7) Graphical images (e.g., the UPC symbol) and information not described in paragraphs (c)(1) through (c)(9) of this section shall not appear in or in any way interrupt the required title, headings, subheadings, and information in paragraphs (c)(1) through (c)(9) of this section. Hyphens shall not be used except to punctuate compound words.

(8) The information described in paragraphs (c)(1) through (c)(9) of this section shall be set off in a box or similar enclosure by the use of a barline. A distinctive horizontal barline extending to each end of the “Drug Facts”

box or similar enclosure shall provide separation between each of the headings listed in paragraphs (c)(2) through (c)(9) of this section. When a heading listed in paragraphs (c)(2) through (c)(9) of this section appears on a subsequent panel immediately after the “Drug Facts (continued)” title, a horizontal hairline shall follow the title and immediately precede the heading. A horizontal hairline extending within two spaces on either side of the “Drug Facts” box or similar enclosure shall immediately follow the title and shall immediately precede each of the subheadings set forth in paragraph (c)(5) of this section, except the subheadings in paragraphs (c)(5)(ii)(A) through (c)(5)(ii)(G) of this section.

(9) The information set forth in paragraph (c)(6) of this section under the heading “Directions” shall appear in a table format when dosage directions are provided for three or more age groups or populations. The last line of the table may be the horizontal barline immediately preceding the heading of the next section of the labeling.

(10) If the title, headings, subheadings, and information in paragraphs (c)(1) through (c)(9) of this section, printed in accordance with the specifications in paragraphs (d)(1) through (d)(9) of this section, and any other FDA required information for drug products, and, as appropriate, cosmetic products, other than information required to appear on a principle display panel, requires more than 60 percent of the total surface area available to bear labeling, then the Drug Facts labeling shall be printed in accordance with the specifications set forth in paragraphs (d)(10)(i) through (d)(10)(v)

of this section. In determining whether more than 60 percent of the total surface area available to bear labeling is required, the indications for use listed under the “Use(s)” heading, as set forth in paragraph (c)(4) of this section, shall be limited to the minimum required uses reflected in the applicable monograph, as provided in § 330.1(c)(2) of this chapter.

(i) Paragraphs (d)(1), (d)(5), (d)(6), and (d)(7) of this section shall apply.

(ii) Paragraph (d)(2) of this section shall apply except that the letter height or type size for the title “Drug Facts (continued)” shall be no smaller than 7-point type and the headings in paragraphs (c)(2) through (c)(9) of this section shall be the larger of either 7-point or greater type, or 1-point size greater than the point size of the text.

(iii) Paragraph (d)(3) of this section shall apply except that less than 0.5-point leading may be used, provided the ascenders and descenders do not touch.

(iv) Paragraph (d)(4) of this section shall apply except that if more than one bulleted statement is placed on the same horizontal line, the additional bulleted statements may continue to the next line of text, and except that the bullets under each heading or subheading need not be vertically aligned.

(v) Paragraph (d)(8) of this section shall apply except that the box or similar enclosure required in paragraph (d)(8) of this section may be omitted if the Drug Facts labeling is set off from the rest of the labeling by use of color contrast.

(11)(i) The following labeling outlines the various provisions in paragraphs (c) and (d) of this section:

OTC Drug Product Labeling Outline

Drug Facts	
Active ingredient (in each dosage unit)	Purpose
xxxxxxxxxxxxxxxxx mg.....	xxxxxxxxxxxx
Uses	
■ xxxxxxxxxxxxxxxx ■ xxxxxxxxxxxxxxxx	
Warnings	
Do not use xx	
Ask a doctor before use if you have	
■ xxxxxxxxxxxxxxxx ■ xxxxxxxxxxxxxxxx	
Ask a doctor or pharmacist before use if you are xxxxxxxxxxxxxxxx	
When using this product	
■ xxxxxxxxxxxxxxxx ■ xxxxxxxxxxxxxxxx	
Stop use and ask a doctor if	
■ xxxxxxxxxxxxxxxx ■ xxxxxxxxxxxxxxxx	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	

Drug Facts (continued)
Directions
■ xxxxxxxxxxxxxxxx ■ xxxxxxxxxxxxxxxx
Other information
■ xxxxxxxxxxxxxxxx ■ xxxxxxxxxxxxxxxx
Inactive ingredients xxxxxxxxxxxxxxxx
Questions? 123-555-1234

(ii) The following sample label illustrates the provisions in paragraphs (c) and (d) of this section:

Drug Facts	
Active ingredient (in each tablet)	Purpose
Chlorpheniramine maleate 2 mg.....	Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy throat	
Warnings	
Ask a doctor before use if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland	
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives	
When using this product	
■ you may get drowsy ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions	
adults and children 12 years and over	take 2 tablets every 4 to 6 hours; not more than 12 tablets in 24 hours
children 6 years to under 12 years	take 1 tablet every 4 to 6 hours; not more than 6 tablets in 24 hours
children under 6 years	ask a doctor

Drug Facts (continued)
Other information ■ store at 20-25°C (68-77°F) ■ protect from excessive moisture
Inactive ingredients D&C yellow no. 10, lactose, magnesium stearate, microcrystalline cellulose, pregelatinized starch

(iii) The following sample label illustrates the provisions in paragraphs (c) and (d) of this section, including para-

graph (d)(10) of this section, which permits modifications for small packages:

Drug Facts

Active ingredients (in each tablet)	Purpose
Aluminum hydroxide gel 200 mg.....	Antacid
Magnesium hydroxide 200 mg.....	Antacid
Simethicone 25 mg.....	Antigas

Uses

- relieves symptoms referred to as gas
- relieves: ■ heartburn ■ acid indigestion ■ sour stomach
- upset stomach due to these symptoms

Warnings

Ask a doctor before use if you have kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks

Keep out of reach of children.

Directions ■ chew 1 to 4 tablets 4 times daily

- do not take more than 16 tablets in 24 hours or use the maximum dosage for more than 2 weeks

Inactive ingredients D&C red no. 30, D&C yellow no. 10, dextrose, FD&C blue no. 1, glycerin, magnesium stearate, mannitol, saccharin sodium, sorbitol, starch, sugar, talc

(iv) The following sample label illustrates the provisions in paragraphs (c) and (d) of this section for a drug product marketed with cosmetic claims:

Drug Facts	
Active ingredient	Purpose
Selenium sulfide 1%.....	Antidandruff
Use controls scalp itching and flaking due to dandruff	
Warnings	
For external use only	
Ask a doctor before use if you have	
■ seborrheic dermatitis that covers a large area of the body	
When using this product	
■ do not get into eyes. If contact occurs, rinse eyes thoroughly with water.	
Stop use and ask a doctor if	
■ condition worsens or does not improve after regular use	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
■ shake well ■ for best results, use at least 2 times a week	
Inactive ingredients water, ammonium laureth sulfate, ammonium lauryl sulfate, cocamide MEA, glycol distearate, ammonium xylenesulfonate, dimethicone, tricetylmonium chloride, cetyl alcohol, DMDM hydantoin, sodium chloride, stearyl alcohol, hydroxypropyl methylcellulose, FD&C red no. 4	

(e) *Exemptions and deferrals.* FDA on its own initiative or in response to a written request from any manufacturer, packer, or distributor, may exempt or defer, based on the circumstances presented, one or more specific requirements set forth in this section on the basis that the requirement is inapplicable, impracticable, or contrary to public health or safety. Requests for exemptions shall be submitted in three copies in the form of an "Application for Exemption" to the Food and Drug Administration, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852. The request shall be clearly identified on the envelope as a "Request for Exemption from 21 CFR 201.66 (OTC Labeling Format)" and shall be directed to Docket No. 98N-0337. A separate request shall be submitted for each OTC

drug product. Sponsors of a product marketed under an approved drug application shall also submit a single copy of the exemption request to their application. Decisions on exemptions and deferrals will be maintained in a permanent file in this docket for public review. Exemption and deferral requests shall:

(1) Document why a particular requirement is inapplicable, impracticable, or is contrary to public health or safety; and

(2) Include a representation of the proposed labeling, including any outserts, panel extensions, or other graphical or packaging techniques intended to be used with the product.

(f) *Interchangeable terms and connecting terms.* The terms listed in §330.1(i) of this chapter may be used

Food and Drug Administration, HHS

§ 201.100

interchangeably in the labeling of OTC drug products, provided such use does not alter the meaning of the labeling that has been established and identified in an applicable OTC drug monograph or by regulation. The terms listed in §330.1(j) of this chapter may be deleted from the labeling of OTC drug products when the labeling is revised to comply with this section, provided such deletion does not alter the meaning of the labeling that has been established and identified in an applicable OTC drug monograph or by regulation. The terms listed in §330.1(i) and (j) of this chapter shall not be used to change in any way the specific title, headings, and subheadings required under paragraphs (c)(1) through (c)(9) of this section.

(g) *Regulatory action.* An OTC drug product that is not in compliance with the format and content requirements in this section is subject to regulatory action.

[64 FR 13286, Mar. 17, 1999, as amended at 65 FR 8, Jan. 3, 2000]

EFFECTIVE DATE NOTES: 1. At 65 FR 46867, Aug. 1, 2000, §201.66 was amended by revising paragraph (c)(5)(ii)(C), effective May 16, 2002. For the convenience of the user, the revised text is set forth as follows:

§ 201.66 Format and content requirements for over-the-counter (OTC) drug product labeling.

* * * * *

(c) * * *

(5) * * *

(ii) * * *

(C) Flammability warning, with appropriate flammability signal word(s) (e.g., §§341.74(c)(5)(iii), 358.150(c), and 358.550(c) of this chapter). This warning shall follow a subheading containing the appropriate flammability signal word(s) described in an applicable OTC drug monograph or approved drug application.

* * * * *

2. At 65 FR 48904, Aug. 10, 2000, in §201.66 was amended by revising paragraph (c)(5)(ii)(C), effective May 17, 2002. For the convenience of the user, the revised text is set forth as follows:

§ 201.66 Format and content requirements for over-the-counter (OTC) drug product labeling.

* * * * *

(c) * * *

(5) * * *

(ii) * * *

(C) Flammability warning, with appropriate flammability signal word(s) (e.g., §§341.74(c)(5)(iii), 344.52(c), 358.150(c), and 358.550(c) of this chapter). This warning shall follow a subheading containing the appropriate flammability signal word(s) described in an applicable OTC drug monograph or approved drug application.

* * * * *

Subpart D—Exemptions From Adequate Directions for Use

§ 201.100 Prescription drugs for human use.

A drug subject to the requirements of section 503(b)(1) of the act shall be exempt from section 502(f)(1) if all the following conditions are met:

(a) The drug is:

(1)(i) In the possession of a person (or his agents or employees) regularly and lawfully engaged in the manufacture, transportation, storage, or wholesale distribution of prescription drugs; or

(ii) In the possession of a retail, hospital, or clinic pharmacy, or a public health agency, regularly and lawfully engaged in dispensing prescription drugs; or

(iii) In the possession of a practitioner licensed by law to administer or prescribe such drugs; and

(2) It is to be dispensed in accordance with section 503(b)

(b) The label of the drug bears:

(1) The statement “Caution: Federal law prohibits dispensing without prescription” and

(2) The recommended or usual dosage and

(3) The route of administration, if it is not for oral use; and

(4) The quantity or proportion of each active ingredient, as well as the information required by section 502 (d) and (e); and

(5) If it is for other than oral use, the names of all inactive ingredients, except that: